
Interactive VetMap of Austria

Valentina Dolin^{1,*} Gudrun Kinz^{1,2} Martina Jezik¹
Mark A. M. Kramer¹ Peter M. Roth^{1,3,*}

valentina.dolin@vetmeduni.ac.at gudrun.kinz@boku.ac.at
martina.jezik@vetmeduni.ac.at mark.kramer@vetmeduni.ac.at
peter.roth@webster.ac.at

¹University of Veterinary Medicine, Vienna

²BOKU University

³Webster Vienna Private University

*Equal contribution

Abstract

Comprehensive veterinary care is of central importance for animal health in agriculture. However, veterinary services are often unavailable at night and on weekends. To better represent availability and deploy existing resources more efficiently, we collected publicly available data on veterinary practices in Austria and stored them in a continuously updated database. To make this information accessible, we integrated it into a web app based on OpenStreetMap, providing relevant information for both animal owners and veterinarians. The app allows users to visualize the structure of veterinary services across Austria and to find the nearest available practices. Route planning is based on real street distances and travel times, computed using the Open Source Routing Machine (OSRM), ensuring that geographical constraints such as mountain passes or river crossings are properly accounted for. The system is designed to be extensible, with future versions planned to incorporate real-time availability updates, veterinary specializations, and seasonal road conditions.

1 Introduction and Motivation

Reliable veterinary care across both livestock and companion animal medicine is an important socio-political challenge. Structural changes in agriculture and the veterinary profession are putting increasing pressure on the existing system. While coverage during regular practice hours is still guaranteed, the system reaches its limits at night and on weekends. It is therefore a primary goal to deploy available resources as efficiently as possible, taking into account information such as vacations, sick leave, or other absences. Furthermore, unlike human medicine, veterinary medicine lacks fixed structures such as round-the-clock emergency stations. Veterinary practices are staffed only during regular office hours, while on-call duty is arranged individually and may vary from day to day.

Existing services, such as the veterinarian search provided by the Austrian Veterinary Chamber¹ or the insurer Anicura², provide addresses but no further information. The present work therefore aims to provide a comprehensive database of veterinary services across Austria and to make it publicly available. The work was partly inspired by the *pharmacy finder app* of the Austrian Apothekerkammer³. The information was collected from publicly available sources and is visualized

¹<https://www.tieraerztekammer.at/oeffentlicher-bereich/kurz-menue/tierarzt-suche> (accessed March 1, 2026)

²<https://www.anicura.at/> (accessed March 1, 2026)

³<https://www.apothekerkammer.at/> (accessed March 1, 2026)

using OpenStreetMap. The result is a continuously updated database, publicly accessible to both animal owners and veterinarians. The main contributions of this paper are the establishment of a database of veterinary practices in Austria, the computation of their GPS coordinates, and the integration of this information into an interactive platform, making it easily accessible to animal owners and veterinarians alike.

2 Map and Website

In total information about 1, 439 practices and clinics have been collected (no guarantee for correctness and completeness), where for each of them the following information is stored in a database: name of practice, website, e-mail, phone, address, federal state, GPS coordinates.

The GPS coordinates (longitude and latitude) were retrieved via the *Nominatim geocoding API*⁴. In addition, we captured – if available – relevant information such as specialization (small animal, livestock, horses, etc.) and opening hours. We present this information as an interactive map based on OpenStreetMap⁵.

Users can search for the nearest practices (by road or air distance)⁶ by entering an address (or part of it), using their automatically estimated GPS position, or selecting a location directly on the map. In addition, to speed up the database lookup and to reduce the visual load of the map, the search can be limited to predefined federal states (selected by checkboxes).

As a result, either all practices within a predefined radius or the closest practices (the actual values are defined via two sliders) are displayed. Hovering over a result reveals more detailed information about the practice; additionally, the route to the selected destination can be computed, and a textual turn-by-turn route description is provided. In a parallel panel, the same practices are presented as a sorted list showing all available information. An overview of the web app, which can be accessed at

<https://vetfind.at>,

is shown in Fig. 1.




Figure 1: VetMap Austria: Interactive Map showing all veterinary practices in Austria.

⁴<https://operations.osmfoundation.org/policies/nominatim/> (accessed March 1, 2026)

⁵<https://www.openstreetmap.org> (accessed March 1, 2026)


⁶<https://project-osrm.org/> (accessed March 1, 2026)

3 Applications


Based on the available information, we identified different use cases for practical applications, which are discussed in the following:

3.1 Analyze Veterinary Service Structure

The visualization of practice locations provides insight into the structure of veterinary services across Austria. In the current version, the distribution of practices can be directly visualized, revealing the influence of geographical constraints. This is illustrated for Styria in Fig. 2a and Tyrol in Fig. 2b. In Styria, a dense network of practices is visible in the Ennstal, the Mur-Mürz-Furche corridor, and the southern part of the region. Similarly, in Tyrol most practices are concentrated in the Innthal, with only a small number available in the surrounding smaller valleys. Taking additionally into account the size of practices and the age of their employees, more detailed predictions of future service distribution would be possible; however, these data are either not yet available or have not yet been incorporated into the model.



(a) Veterinary practices in Styria.



(b) Veterinary practices in Tyrol.

Figure 2: Illustration of different route visualizations.


3.2 Getting Close Practices

The user's current position can be specified in three ways: entering an address into a search field, using the automatically determined GPS position, or selecting a location directly on the map. The web app is designed to work on both desktop computers and mobile devices, and can access the device's GPS sensor directly where available. Once the user's position has been determined, the nearest practices are displayed on the map, either within a specified range (in km) or as the top n closest results. The locations of animal owners and those of available practices are modeled in a graph-based framework, where optimal paths are computed using OSRM [8].


The models used are, however, flexible enough to incorporate further criteria in the future, such as seasonal parameters, real-time availability updates, or required veterinary expertise. Additionally, the particular challenges in Austria – such as long travel distances due to natural obstacles like mountains or rivers, high-altitude farms with alpine pasture farming, or seasonal restrictions due to road closures or lack of winter road maintenance – must be taken into account. Studies such as [3] that additionally consider the relevance of geo-information or the nature and severity of the emergency at hand remain rare. We therefore drew on methods for optimal route planning in general [5, 8, 13], as well as on problems from human medicine concerning the optimal routing of emergency vehicles [2, 9, 14].

3.3 Provide Detailed Information

Based on this information, we identified two additional applications. The first is to provide detailed information about nearby practices stored in the database. These details can be obtained by hovering over a practice marker, and include the name, address, phone number, website, and e-mail address, each presented as an interactive link for direct access. Future versions will additionally display specialization information (e.g., livestock, small animal, horses). This is illustrated in Fig. 3.



(a) Illustrative example 1.




(b) Illustrative example 2.


Figure 3: Illustration of detailed practice information.

3.4 Get Directions

The second use case we identified is computing directions (road distance) from the current position to a veterinary practice. By clicking on a practice marker, the directions are computed and visualized on the map, and a textual turn-by-turn description is provided. In addition, the air distance can also be computed and visualized. This reveals that due to geographic constraints (e.g., deep valleys, missing bridges, or tunnels) the road distance may be considerable even when the air distance – visible on the map – appears small, which could be misleading. Two examples for this functionality are illustrated in Fig. 4.



(a) Illustrative example 1.



(b) Illustrative example 2.

Figure 4: Illustration of found directions description of the pathway.

4 Conclusion and Future Work

Further work can be divided into three key aspects: (a) The route planning using OSRM is based on Dijkstra’s algorithm [7] and speed-up techniques for it [5, 8]. We plan to further investigate the computation of optimal routes, viewed as a graph-theoretical problem [1, 5]. In particular, we intend to explore algorithms that account for time-varying conditions (see, e.g., [4, 6, 10, 11, 12]). (b) Beyond the road network, we will incorporate additional information such as topographic and traffic-related data, as well as scheduling factors such as vacation periods, sick leave, or other constraints on veterinarian availability. This enriched edge-weight structure turns the problem into a graph clustering problem, requiring more sophisticated approaches such as [15, 16]. (c) Beyond these technical extensions, the database itself will be continuously expanded and refined: practices will be enriched with additional attributes such as veterinary specialization, opening hours, and real-time on-call availability, ensuring the data remains current and actionable. Furthermore, the web application will be optimized for mobile devices. Finally, a systematic evaluation of service coverage across Austrian federal states is planned, with the goal of identifying underserved regions and informing policy decisions on the deployment of veterinary resources.

Acknowledgments and Disclosure of Funding

This work was supported by the State of Lower Austria through the project *HOLSTEIN (Holistic approach to the sustainable provision of livestock health in Lower Austria)* and within the framework of the FTI Strategy Lower Austria 2027 through the project *ROBOKIZ (Robust automatic analysis of drone images in plant breeding using artificial intelligence)*.

References

- [1] D. L. Applegate, R. E. Bixby, V. Chvátal, and W. J. Cook. *The Traveling Salesman Problem: A Computational Study*. Princeton University Press, 2007.
- [2] L. Brotcorne, G. Laporte, and F. Semet. Ambulance location and relocation models. *European Journal of Operational Research*, 147(3):451–463, 2003.
- [3] J. M. de Souza Muniz, E. C. S. Lima, and L. de Castro Mesquita. VETFINDER: A platform connecting pet owners and veterinarians. *Revista Ibero-Americana De Humanidades, Ciências E Educação*, 10(11):7128–7145, 2024.
- [4] D. Delling. Time-dependent share-routing. *Algorithmica*, 60:60–94, 2011.
- [5] D. Delling, P. Sanders, D. Schultes, and D. Wagner. Engineering route planning algorithms. In *Algorithmics of Large and Complex Networks: Design, Analysis, and Simulation*, pages 117–139. 2009.
- [6] E. Demaine, Y. Huang, C.-S. Liao, and K. Sadakane. Approximating the canadian traveller problem with online randomization. *Algorithmica*, 83:1524–1543, 2021.
- [7] E. W. Dijkstra. A note on two problems in connexion with graphs. *Numerische Mathematik*, 1:269–271, 1959.
- [8] D. Luxen and C. Vetter. Real-time routing with OpenStreetMap data. In *ACM SIGSPATIAL International Conference on Advances in Geographic Information Systems*, pages 513–516, 2011.
- [9] J. Nelas and J. Dias. Optimal emergency vehicles location: An approach considering the hierarchy and substitutability of resources. *European Journal of Operational Research*, 287(2):583–599, 2020.
- [10] E. Nikolova and D. R. Karger. Route planning under uncertainty: the canadian traveller problem. In *Proc. International Conference on Artificial Intelligence*, pages 969–974, 1991.
- [11] A. Orda and R. Rom. Minimum weight paths in time-dependent networks. *Networks*, 21:295–319, 1991.
- [12] C. Papadimitriou and M. Yannakakis. Shortest paths without a map. *Theoretical Computer Science*, 84:127–150, 1991.
- [13] J. Son, Z. Zhao, F. Berto, C. Hua, C. Kwon, and J. Park. Neural combinatorial optimization for real-world routing. *arXiv:2503.16159*, 2025.
- [14] J. Tassone and S. Choudhury. A comprehensive survey on the ambulance routing and location problems. *arXiv:2001.05288*, 2020.
- [15] H. Zha, C. Ding, and M. Gu. Bipartite graph partitioning and data clustering. *arXiv:cs/0108018v1*, 2001.
- [16] P. Zhang, J. Wang, X. Li, M. Li, Z. Di, and Y. Fan. Clustering coefficient and community structure of bipartite networks. *Physica A: Statistical Mechanics and its Applications*, 387(27):6869–6875, 2008.